


Bibliography of Archaeocete Cetaceans

Mark D. Uhen

2008



Smithsonian Institution

Introduction

Remington Kellogg published his seminal work on archaeocete cetaceans, *A Review of the Archaeoceti* in 1936. In it, Kellogg reviewed all specimens and taxa of archaeocetes known at the time. Kellogg did such a fine job, he caused a significant decline in the work done on archaeocetes, since basically, he had “written the book” on the subject.

In 1980, while a postdoctoral fellow in the department of Paleobiology at the US National Museum, Smithsonian Institution, R. Ewan Fordyce compiled a bibliography of works on archaeocete cetaceans. This bibliography immediately preceded a surge in work on archaeocetes, spurred in part by the discovery of very early archaeocetes in Indo-Pakistan.

This bibliography attempts to update the list of works through 2007. It includes all of the entries from Fordyce’s bibliography, and all other scientific works that include archaeocetes. It also includes a few selected popular works, but does not attempt to be comprehensive for popular literature.

The publications listed are not available from the Smithsonian Institution.



Abel, O. 1905. Les Odontocètes du Boldérien (Miocène supérieur) D'Anvers. *Mémoires du Musée Royal D'Histoire Naturelle de Belgique* 3:1-155.

Abel, O. 1906. Ueber den als Beckengürtel von *Zeuglodon* beschriebenen Schultergürtel eines

- Vogels aus dem Eocän von Alabama. *Centralblatt für Mineralogie, Geologie und Paläontologie* 15:450-458.
- Abel, O. 1913. Die vorkommen der bartenwale. *Denkschriften der Kaiserlichen Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse* 90:155-224.
- Agassiz, L. 1848. ...*Dorudon serratus*, and *Saurocetus gibbesii*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 4:4-5.
- Albright, L. B., III. 1996. A protocetid cetacean from the Eocene of South Carolina. *Journal of Paleontology* 70:519-522.
- Allen, J. A. 1881. Preliminary list of works and papers relating to the mammalian orders Cete and Sirenia. *Bulletin of the United States Geological and Geographical Survey of the Territories* 6:399-562.
- Ameghino, F. 1899. Contribucion al Conocimiento de los Mamiferos Fósiles de la República Argentina obra escrita bajo los auspices de la Academia nacional de ciencias de la República Argentina para ser presentada á la Exposicion Universal de Paris de 1889. *Actas de la Academia nacional de ciencias de la República Argentina en Córdoba* 6:1-1027.

- Andrews, C. W. 1904. Further notes on the mammals of the Eocene of Egypt. *Geological Magazine* 1:211-215.
- Andrews, C. W. 1906. A Descriptive Catalogue of the Tertiary Vertebrata of Fayum, Egypt. *British Museum of Natural History, London*, 324 pp.
- Andrews, C. W. 1907. Note on the cervical vertebra of a *Zeuglodon* from the Barton Clay of Barton Cliff (Hampshire). *Quarterly Journal of the Geological Society of London* 63:124-127.
- Andrews, C. W. 1908. Model of skull and mandible of *Prozeuglodon atrox*. *Geological Magazine* n.s. Decade V:208-212.
- Andrews, C. W. 1920. A description of new species of zeuglodont and of leathery turtle from the Eocene of southern Nigeria. *Proceedings of the Zoological Society of London* 1919:309-319.
- Angielczyk, K. D., and M. D. Uhen. 1996. The preparation, molding, casting, and mounting of *Dorudon atrox* (Mammalia, Archaeoceti). *Journal of Vertebrate Paleontology* 16:20A.
- Anonymous. 1907. Expedition to the desert of Fayoum, Egypt. *The American Museum Journal [Natural History]* 7:25-26.
- Anonymous. 1939. A fossil whale from Australia. *Nature* 143:525.
- Anonymous. 1973. New marine vertebrate horizon from lower Eocene of Gujarat. *Geological Survey of India News* 4:3.
- Applegate, S. P. 1969. Digging fossil whales in Mississippi with southern hospitality. *Los Angeles County Museum of Natural History Quarterly* 8:26-31.

Árnason, Ú., and A. Gullberg. 1996. Cytochrome b nucleotide sequences and the identification of five primary lineages of extant cetaceans. *Molecular Biology and Evolution* 13:407-417.

Aslanova, S. M. 1963. [History of the study of fossil cetaceans from territory of the Soviet Union]. *Ivestiya Akademii Nauk Azerbaidzhanskoi SSR, Geologo-Geografischeskikh Nauk* 1963:11-20.



Bajpai, S., and P. D. Gingerich. 1998. New early Eocene archaeocete from India: Implications for the environment and time of origin of whales. *Journal of Vertebrate Paleontology* 18:25A.

Bajpai, S., and P. D. Gingerich. 1998. A new Eocene archaeocete (Mammalia, Cetacea) from India and the time of origin of whales. *Proceedings of the National Academy of Sciences* 95:15464-15468.

Bajpai, S., and J. G. M. Thewissen. 1996. *Indocetus* (Cetacea, Mammalia) endocasts from Kachchh (India). *Journal of Vertebrate Paleontology* 16:582-584.

Bajpai, S., and J. G. M. Thewissen. 1998. Middle Eocene cetaceans from the Harudi and Subathu Formations of India; pp. 213-234 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.

- Bajpai, S., and J. G. M. Thewissen. 2000. A new, diminutive Eocene whale from Kachchh (Gujarat, India) and its implications for locomotor evolution of cetaceans. *Current Science* 79:1478-1482.
- Bajpai, S., and J. G. M. Thewissen. 2002. Vertebrate fauna from Panandhro lignite field (Lower Eocene), District Kachchh, western India. *Current Science* 82:507-509.
- Ball, O. M. 1931. A contribution to the paleobotany of the Eocene of Texas. *Bulletin of the Agricultural and Mechanical College of Texas* 2:1-173.
- Bancroft, M. F. 1937. Gold-bearing deposits on the west coast of Vancouver Island between Esperanza Inlet and Alberni Canal. *Canada Department of Mines and Resources Geological Survey Memoir* 204:9-10.
- Barnes, L. G. 1977. Outline of eastern North Pacific fossil cetacean assemblages. *Systematic Zoology* 25:321-343.
- Barnes, L. G. 1984. Whales, dolphins and porpoises: origin and evolution of the Cetacea. Mammals: notes for a short course, *University of Tennessee Department of Geological Sciences Studies in Geology* 8:139-154.
- Barnes, L. G., J. L. Goedert, and H. Furusawa. 2001. The earliest known echolocating toothed whales (Mammalia; Odontoceti): Preliminary observations of fossils from Washington State. *Mesa Southwest Museum Bulletin* 8:91-100.
- Barnes, L. G., and E. D. Mitchell. 1978. Cetacea; pp. 582-602 in V. J. Maglio and H. B. S. Cooke (eds.), *The Evolution of African Mammals*. Harvard University Press, Cambridge.
- Barnes, L. G., and A. E. Sanders. 1996. The transition from archaeocetes to mysticetes: Late Oligocene toothed mysticetes from near Charleston, South Carolina. *The Paleontological Society Special Publication* 8:24.

- Barnes, L. G., and A. E. Sanders. 1996. The transition from Archaeoceti to Mysticeti: Late Oligocene toothed mysticetes from South Carolina, U.S.A. *Journal of Vertebrate Paleontology* 16:21A.
- Benham, W. B. 1935. The teeth of an extinct whale, *Microcetus hectori* n. sp. *Transactions and Proceedings of the Royal Society of New Zealand* 65:239-243.
- Benham, W. B. 1938. Notes on some of the bones of *Kekenodon onamata* Hector. *Transactions and Proceedings of the Royal Society of New Zealand* 67:15-46.
- Benham, W. B. 1938. On *Lophocephalus*, a new genus of zeuglodont Cetacea. *Transactions and Proceedings of the Royal Society of New Zealand* 67:1-7.
- Benham, W. B. 1942. *Mauicetus*, a generic name substituted for *Lophocephalus* Benham. *Transactions and Proceedings of the Royal Society of New Zealand* 71:260-270.
- Benton, M. J. 1993. *The Fossil Record 2*. Chapman & Hall, London, 845 pp.
- Bergquist, H. R., and T. E. McCutcheon. 1942. Scott County geology. *Mississippi State Geological Survey Bulletin* 49:1-146.
- Bianucci, G., C. Nocchi, C. Sorbini, and W. Landini. 2003. *L'Archeoceto Nella Roccia Alle Origini dei Cetacei*. Museo di Storia Naturale e del Territorio, Pisa.
- Blankenhorn, M. 1903. Neue geologisch-stratigraphische Beobachtungen in Aegypten. *Sitzungsberichte der mathematisch-physikalischen Classe der Akademie der Wissenschaften* 22:351-433.
- Bogachev, V. V. 1959. [Remains of a cetacean from the Oligocene of Tsimlyanskaya Station]. *Akademia Nauk USSR, Kiev. Instytut mineral'nykh resursiv, Trudy* 1:40-42.

Bonaparte, C. L. 1849. [Classification af Havapatedyrene i Pinnipedia, Cete og Sirenia].

Forhandlinger ved de skandinaviske Naturforskeres femte Møde Kjøbenhavn

1847:618.

Bonaparte, C. L. 1850. Mastozoologiae; pp. 1, *Conspectus Systematis*. E. J. Brill, Leiden.

Borsuk-Bialynicka, M. 1988. New remains of Archaeoceti from the Paleogene of Antarctica.

Polish Polar Research 9:437-445.

Brandt, J. F. 1873. Untersuchungen über die fossilen und subfossilen cetaceen Europa's.

Mémoires de L'Académie Impériale des Sciences de Saint-Petersbourg, Series 7 20:1-

372.

Breathnach, A. S. 1955. Observations on endocranial casts of recent and fossil cetaceans.

Journal of Anatomy 89:532-546.

Buchholtz, E. A. 2007. Modular evolution of the Cetacean vertebral column. *Evolution &*

Development 9:278-289.

Burmeister, H. 1847. Bemerkungen über *Zeuglodon cetoides* Owen's, *Basilosaurus* Harlan's,

Hydrochos Koch's. C. A. Schwetschke und Sohn, Halle.



Cameron, B. E. B. 1971. Tertiary stratigraphy and microfaunas from the Hesquiatic-Nootka area,

west coast, Vancouver Island. *Geological Survey of Canada Paper* 71:91-94.

- Cameron, B. E. B. 1980. Biostratigraphy and depositional environment of the Escalante and Hesquiat Formations (early Tertiary) of the Nootka Sound area, Vancouver Island, British Columbia. *Geological Survey of Canada Paper* 78:1-28.
- Carpenter, K., and D. T. Dockery, III. 1985. "...and the bones came together, bone to his bone." Ezekiel 37:7: The Making of a State Fossil. *Mississippi Geology* 6:1-6.
- Carpenter, K., and D. White. 1986. Feeding in the archaeocete whale *Zygorhiza kochii* (Cetacea: Archaeoceti). *Mississippi Geology* 7:1-15.
- Carroll, R. L. 1988. *Vertebrate Paleontology and Evolution*. W. H. Freeman and Company, New York, 698 pp.
- Carter, J. T. 1948. Comparison of the microscopic structure of the enamel in the teeth of *Zeuglodon osiris* Dames and *Prosqualodon davidi* Flynn. *Transactions of the Zoological Society of London* 26:192-193.
- Carus, C. G. 1847. *Resultate geologischer, anatomischer und zoologischer Untersuchungen über das unter dem Namen Hydrarchos von Dr. A. C. Koch, zuerst nach Europa gebrachte und in Dresden ausgestellte große fossile Skelett*. Arnoldische Buchhandlung, Dresden und Leipzig, 15 pp.
- Carus, C. G. 1849. *Das Kopfskelet des Zeuglodon hydrarchos*. *Nova acta Leopoldina* 22:371-390.
- Carus, C. G. 1850. *Das Kopfskelet des Zeuglodon hydrarchos*. *Novorum Actorum Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum* 12:373-388.
- Case, G. R. 1975. Jersey City. *Society of Vertebrate Paleontology News Bulletin* 103:23-24.
- Chadwick, D. H. 2001. Evolution of Whales. *National Geographic* November:64-77.

- Cloud, P. E., Jr. 1956. Provisional correlation of selected Cenozoic sequences in the western and central Pacific. *Proceedings of the Eighth Pacific Science Congress* 2:555-576.
- Cooke, C. W. 1915. The age of the Ocala limestone. *Department of the Interior US Geological Survey* 95-1:107-117.
- Cooper, L., A. Berta, and T. Deméré. 2002. From *Dorudon* to finbacks: evolution of the mysticete forelimb. *Geological Society of New Zealand Miscellaneous Publication Secondary Adaptation to Life in Water*:7-8.
- Cope, E. D. 1868. An addition to the vertebrate fauna of the Miocene period, with a synopsis of the extinct Cetacea of the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 19:138-156.
- Cope, E. D. 1868. Second contribution to the history of the Vertebrata of the Miocene period of the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 20:184-194.
- Cope, E. D. 1890. The Cetacea. *The American Naturalist* 24:599-616.
- Cope, E. D. 1891. Part III: Paleontology of the Vertebrata; pp. 1-90, *Syllabus of Lectures on Geology and Paleontology*. Ferris Brothers, Philadelphia.
- Corgan, J. X. 1976. Vertebrate fossils of Tennessee. *State of Tennessee Department of Conservation Division of Geology Bulletin* 77:1-100.
- Coryndon, S. C., and R. J. G. Savage. 1973. The origin and affinities of African mammal faunas. *Special Papers in Palaeontology* 12:121-135.
- Cozzuol, M. A. 1988. Comentarios sobre los Archaeoceti (Mammalia: Cetacea, de la Isla Vcom. Marambio, Antartida. *Jornadas Argentinas de Paleontología de Vertebrados*:32.

D



- Daly, E. 1992. A list, bibliography and index of the fossil vertebrates of Mississippi. *Mississippi Department of Environmental Quality Office of Geology Bulletin* 128:1-47.
- Daly, E. 1999. A middle Eocene *Zygorhiza* specimen from Mississippi (Cetacea, Archaeoceti). *Mississippi Geology* 20:21-31.
- Dames, W. B. 1883. Ein Epistropheus von *Zeuglodon* sp. *Sitzungsberichte der Gesellschaft naturforschender Freunde, Berlin* 1883:3.
- Dames, W. B. 1883. Über eine tertiäre Wirbelthierfauna von der westlichen Insel des Birket-el-Qurun im Fajum (Aegypten). *Sitzungsberichte der Königlich-preussischen Akademie der Wissenschaften, Berlin* 6:129-153.
- Dames, W. B. 1894. Über Zeuglodonten aus Aegypten und die Beziehungen der Archaeoceten zu den übrigen Cetaceen. *Paläontologische Abhandlungen Jena* n. F. 1:189-222.
- Darrell, J. H., II. 1984. A palynological analysis of the Plant Vogtle whale site. *Georgia Journal of Science* 42:22.
- Dart, R. A. 1923. The brain of the Zeuglodontidae (Cetacea). *Proceedings of the Zoological Society of London* 42:615-654.
- Das, D. P., and P. K. Basu. 1992. Study of Palaeogene marine mammals of Kachchh, Gujurat. *Geological Survey of India* 127:5.
- Davies, J. L. 1963. The antitropical factor in cetacean speciation. *Evolution* 17:101-116.

- Dechaseaux, C. 1961. Cetacea; pp. 831-886 in J. Piveteau (ed.), *Traité de Paléontologie*.
Masson et Cie, Paris.
- Dehm, R., and T. Oettingen-Spielberg. 1958. Paläontologische und geologische
Untersuchungen im Tertiär von Pakistan, 2. Die mitteleocänen Säugetiere von Ganda
Kas bei Basal in Nordwest-Pakistan. *Bayerische Akademie der Wissenschaften
Mathematisch-Naturwissenschaftliche Klasse* 91:1-54.
- DeKay, J. E. 1842. Zoology of New York; pp. 146, *Natural History of New York*. B. Appleton &
Co. and Wiley & Putnam, New York.
- Delfortrie. 1874. Un *Zeuglodon* dans les faluns du sud-ouest de la France. *Journal de Zoologie*
3:25-30.
- Deméré, T. A. 1981. Fossil whales of San Diego. *Environment Southwest* 492:17-20.
- Deraniyagaia, P. E. P. 1948. Some scientific results of two visits to Africa. *Spolia Zeylanica*
25:1-42.
- Dietrich, V. W. O. 1934. *Hydrarchos* Koch. Eine Erinnerung. *Sitzungsberichte der Gesellschaft
naturforschender Freunde*:99-103.
- Dockery, D. T., III. 1974. An Archaeoceti from the Moodys Branch Formation (Upper Eocene)
of Mississippi. *The Compass of Sigma Gamma Epsilon* 51:61-62.
- Dockery, D. T., III. 1980. The invertebrate macropaleontology of the Clarke County,
Mississippi, area. *Mississippi Geological, Economic and Topographical Survey Bulletin*
122:1-387.
- Dockery, D. T., III. 1996. Toward a revision of the generalized stratigraphic column of
Mississippi. *Mississippi Geology* 17:1-9.

- Dockery, D. T., III, and J. E. Johnston. 1986. Excavation of an archaeocete whale, *Basilosaurus cetoides* (Owen), from Madison, Mississippi. *Mississippi Geology* 6:1-10.
- Dockery, D. T., III, J. E. Starnes, and S. Peyton. 2003. A largely complete *Basilosaurus* find in the Upper Yazoo Clay in Scott County, Mississippi. *Journal of the Mississippi Academy of Science* 48:42-43.
- Domning, D. P. 1969. A list, bibliography, and index of the fossil vertebrates of Louisiana and Mississippi. *Transactions of the Gulf Coast Association of Geological Societies* 19:385-422.
- Dott, R. H., and W. M. Jordan. 1999. Doctor Koch's horrendous *Hydrarchos*. *Geotimes* March:20-24.



- Edinger, T. 1955. Hearing and smell in cetacean history. *Monatsschrift für Psychiatri und Neurologie* 129:37-58.
- Elliot, D. H., C. Rinaldi, W. J. Zissmeister, T. A. Trautman, and R. del Valle. 1975. Geological investigations on Seymour Island, Antarctic Peninsula. *Antarctic Journal* 10:182-186.
- Elliot, D. H., and T. A. Trautman. 1982. Lower Tertiary strata on Seymour Island, Antarctic Peninsula; pp. 287-297 in C. Craddock (ed.), *Antarctic Geoscience*. University of Wisconsin, Madison, Wisconsin.
- Elliot Smith, G. 1903. The brain of the Archaeoceti. *Proceedings of the Royal Society of London* 71:322-331.

Élouard, P. 1966. Découverte d'un archéocète dans les environs de Kaolack. *Notes Africaines* 109:8-10.

Emlong, D. R. 1966. A new archaic cetacean from the Oligocene of northwest Oregon. *Bulletin of the Oregon University Museum of Natural History* 3:1-51.

Emmer, E. W., and D. A. Dunn. 1996. Stable isotopic composition of a late Eocene archaeocete whale, *Basilosaurus cetoides*, from Wayne County, Mississippi. *AAPG Bulletin* 80:1501.

Emmons, E. 1845. Miscellanies. *American Quarterly Journal of Agriculture and Science* 2:366.

Emmons, E. 1845. On the supposed *Zeuglodon cetoides*, of Prof. Owen. *American Quarterly Journal of Agriculture and Science* 2:59-63.

Emmons, E. 1846. Description of some of the bones of the *Zeuglodon cetoides* of Prof. Owen. *American Quarterly Journal of Agriculture and Science* 3:223-231.



Feldmann, R. M., K. L. Bice, C. S. Hopkins, E. W. Salva, and K. Pickford. 1998. Decapod crustaceans from the Eocene Castle Hayne Limestone, North Carolina: Paleooceanographic implications. *The Paleontological Society Memoir* 48:1-28.

Feldmann, R. M., and M. O. Woodburne. 1988. *Geology and Paleontology of Seymour Island, Antarctic Peninsula*. The Geological Society of America, Boulder, Colorado, 566 pp.

- Fitzgerald, E. M. G. 2003. Oligocene Cetacea (Mammalia) from the southern margin of Australia. *Geological Society of Australia - 17th Victorian Universities Earth Sciences Conference Abstracts* No. 70:17.
- Fitzgerald, E. M. G. 2004. A review of the Tertiary fossil Cetacea (Mammalia) localities in Australia. *Memoirs of Museum Victoria* 61:1447-2554.
- Fleischer, G. 1976. Hearing in extinct cetaceans as determined by cochlear structure. *Journal of Paleontology* 50:133-152.
- Fleischer, G. 1976. Über Beziehungen zwischen Hörvermögen und Schadelbau bei Walen. *BLV-Verlagsgesellschaft mbH München* 40:48-59.
- Flower, W. H. 1883. On the arrangement of the orders and families of existing Mammalia. *Proceedings of the Zoological Society of London* 1883:178-186.
- Flynn, T. T. 1948. Description of *Prosqualodon davidi* Flynn, a fossil cetacean from Tasmania. *Transactions of the Zoological Society of London* 26:153-196.
- Fordyce, R. E. 1977. Paleobiology of New Zealand fossil whales and dolphins. *Geological Society of New Zealand Newsletter* 43:21-23.
- Fordyce, R. E. 1978. *The Morphology and Systematics of New Zealand Fossil Cetacea*. Doctoral dissertation. University of Canterbury, Christchurch.
- Fordyce, R. E. 1979. The morphology and systematics of New Zealand fossil Cetacea. *New Zealand Journal of Geology and Geophysics* 22:294.
- Fordyce, R. E. 1979. A review of austral archaeocete whales. *Geological Society of New Zealand Programme and Abstracts* 1978.
- Fordyce, R. E. 1980. The fossil Cetacea of New Zealand. *New Zealand Geological Society Report* 90:1-60.

- Fordyce, R. E. 1980. Whale evolution and Oligocene southern ocean environments. *Palaeogeography, Palaeoclimatology, Palaeoecology* 31:319-336.
- Fordyce, R. E. 1982. A review of Australian fossil Cetacea. *Memoirs of the National Museum Victoria* 43:43-59.
- Fordyce, R. E. 1984. Evolution and zoogeography of cetaceans in Australia; pp. 929-948 in M. Archer and G. Clayton (eds.), *Vertebrate Zoogeography & Evolution in Australasia: Animals in Space and Time*. Hesperian Press, Carlisle, West Australia.
- Fordyce, R. E. 1985. Late Eocene archaeocete whale (Archaeoceti: Dorudontinae) from Waihao, South Canterbury, New Zealand. *New Zealand Journal of Geology and Geophysics* 28:351-357.
- Fordyce, R. E. 1988. The origin of the whale; pp., *Whales of the World*. Sheena Coupe.
- Fordyce, R. E. 1989. Origins and evolution of Antarctic marine mammals; pp. 269-281 in J. A. Crame (ed.), *Origins and Evolution of the Antarctic Biota. Geological Society Special Publication* 47.
- Fordyce, R. E. 1989. Problematic early Oligocene toothed whale (Cetacea, ?Mysticeti) from Waikari, north Canterbury, New Zealand. *New Zealand Journal of Geology and Geophysics* 32:395-400.
- Fordyce, R. E. 1991. The Australasian marine vertebrate record and its climatic and geographic implications; pp. 1165-1190 in V. P. Rich, J. M. Monaghan, R. F. Baird, and T. H. Rich (eds.), *Vertebrate Palaeontology of Australasia*. Monash University Publications Committee, Melbourne.
- Fordyce, R. E. 2002. Neoceti; pp. 787-791 in W. F. Perrin, B. Würsig, and J. G. M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego.

- Fordyce, R. E. 2002. Oligocene archaeocetes and toothed mysticetes: Cetacea from times of transition. *Geological Society of New Zealand Miscellaneous Publication* 114A:16-17.
- Fordyce, R. E. 2003. Cetacean Evolution and Eocene-Oligocene Oceans Revisited; pp. 154-170 in D. R. Prothero, L. C. Ivany, and E. A. Nesbitt (eds.), *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*. Columbia University Press, New York.
- Fordyce, R. E. 2004. The transition from Archaeoceti to Neoceti: Oligocene Archaeocetes in the Southwest Pacific. *Journal of Vertebrate Paleontology* 24:59A.
- Fordyce, R. E. 2006. A southern perspective on cetacean evolution and zoogeography; pp. 755-782 in J. R. Merrick, M. Archer, G. M. Hickey, and M. S. Y. Lee (eds.), *Evolution and Biogeography of Australasian Vertebrates*. Auscipub, Oatlands, Australia.
- Fordyce, R. E., and L. G. Barnes. 1994. The evolutionary history of whales and dolphins. *Annual Review of Earth and Planetary Sciences* 22:419-455.
- Fordyce, R. E., L. G. Barnes, and N. Miyazaki. 1994. General aspects of the evolutionary history of whales and dolphins. *The Island Arc* 3:373-391.
- Fordyce, R. E., and C. de Muizon. 2001. Evolutionary history of cetaceans: a review; pp. 169-223 in J.-M. Mazin and V. Buffrénil (eds.), *Secondary Adaptation of Tetrapods to Life in Water*. Verlag Dr. Friedrich Pfeil, München, Germany.
- Fostowicz-Freluk, L. 2003. An enigmatic whale tooth from the Upper Eocene of Seymour Island, Antarctica. *Polish Polar Research* 24:13-28.
- Fraas, E. 1904. Neue Zeuglodonten aus dem unteren Mitteleocän vom Mokattam bei Cairo. *Geologische und Paläontologische Abhandlungen, Jena, Neue Folge* 6:199-220.

Fraas, E. 1904. Neue Zeuglodonten aus dem unteren Mitteleozän von Mokattam bei Cairo.
Geologisches Centralblatt 5:374.

Frazier, M. K. 1980. Archaeocetes: whale-like mammals from the Eocene of Mississippi.
Mississippi Geology 1:1-3.



Gaskin, D. E. 1976. The evolution, zoogeography and ecology of Cetacea. *Oceanography and Marine Biology Annual Review* 14:247-346.

Geisler, J. H., and Z. Luo. 1998. Relationships of Cetacea to terrestrial ungulates and the evolution of cranial vasculature in Cete; pp. 163-212 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.

Geisler, J. H., and A. E. Sanders. 2003. Morphological evidence for the phylogeny of Cetacea. *Journal of Mammalian Evolution* 10:23-129.

Geisler, J. H., A. E. Sanders, and Z. Luo. 1996. A new protocetid cetacean from the Eocene of South Carolina, U.S.A; phylogenetic and biogeographic implications. *The Paleontological Society Special Publication* 8:139.

Geisler, J. H., A. E. Sanders, and Z.-X. Luo. 2005. A new protocetid Whale (Cetacea: Archaeoceti) from the Late Middle Eocene of South Carolina. *American Museum Novitates* 3480:1-65.

- Geisler, J. H., J. M. Theodor, M. D. Uhen, and S. E. Foss. 2007. Phylogenetic relationships of cetaceans to terrestrial artiodactyls; pp. 19-31 in D. R. Prothero and S. E. Foss (eds.), *The Evolution of Artiodactyls*. The Johns Hopkins University Press, Baltimore.
- Geisler, J. H., and M. D. Uhen. 2005. Phylogenetic relationships of extinct Cetartiodactyls: Results of simultaneous analyses of molecular, morphological, and stratigraphic data. *Journal of Mammalian Evolution* 12:145-160.
- Gervais, P. 1876. Remarques au sujet du genre *Phocodon*. *Journal de Zoologie* 5:64-70.
- Gibbes, R. W. 1845. Description of the teeth of a new fossil animal found in the Green Sand of South Carolina. *Proceedings of the Academy of Natural Sciences of Philadelphia* 2:254-256.
- Gibbes, R. W. 1847. On the fossil genus *Basilosaurus*, Harlan, (*Zeuglodon*, Owen) with a notice of specimens from the Eocene Green Sand of South Carolina. *Journal of the Academy of Natural Sciences of Philadelphia* 1:2-15.
- Gibbes, R. W. 1848. Communication from R.W. Gibbes. *Proceedings of the Academy of Natural Sciences of Philadelphia* 4:57.
- Gidley, J. W. 1913. A recently mounted *Zeuglodon* skeleton in the United States National Museum. *Proceedings of the United States National Museum* 44:649-654.
- Gill, T. 1870. On the relations of the orders of mammals. *Proceedings of the American Association for the Advancement of Science* 19:267-270.
- Gill, T. 1872. Arrangement of the families of mammals. *Smithsonian Miscellaneous Collections* 11:1-97.
- Gill, T. 1886. Zeuglodontia; pp. 681, *Johnson's (Revised) Universal Cyclopaedia: A Scientific and Popular Treasury of Useful Knowledge*. A. J. Johnson & Co., New York.

- Gillette, D. D. 1975. Catalogue of the type specimens of fossil vertebrates, Academy of Natural Sciences, Philadelphia. Introduction and Part I: Marine Mammals. *Proceedings of the Academy of Natural Sciences of Philadelphia* 127:63-66.
- Gilmore, C. W. 1942. A history of the division of vertebrate paleontology in the United States National Museum. *Proceedings of the United States National Museum* 90:305-377.
- Gimbrede, L. d. A. 1962. The hurricane lentil: source of many Claiborne fossils. *Journal of Paleontology* 16:1116-1120.
- Gingerich, P. D. 1977. A small collection of fossil vertebrates from the middle Eocene Kuldana and Kohat Formations of Punjab (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 24:190-203.
- Gingerich, P. D. 1991. Partial skeleton of a new archaeocete from the earliest middle Eocene Habib Rahi limestone, Pakistan. *Journal of Vertebrate Paleontology* 11:31A.
- Gingerich, P. D. 1991. Provenance of Fourtau's Egyptian archaeocete. *Investigations on Cetacea* 23:213-214.
- Gingerich, P. D. 1998. Paleobiological perspectives on Mesonychia, Archaeoceti, and the Origin of Whales; pp. 423-450 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.
- Gingerich, P. D. 2002. Progress on the origin of whales. *Geoscience News* February:7-12.
- Gingerich, P. D. 2002. Whales that walked. *LSA Magazine* Spring:25-28.
- Gingerich, P. D. 2003. Land-to-sea transition in early whales: evolution of Eocene Archaeoceti (Cetacea) in relation to skeletal proportions and locomotion of living semiaquatic mammals. *Paleobiology* 29:429-454.

- Gingerich, P. D. 2005. Cetacea; pp. 234-252 in K. D. Rose and J. D. Archibald (eds.), *The Rise of Placental Mammals*. Johns Hopkins University Press, Baltimore.
- Gingerich, P. D. 2005. New Skeleton of Basilosaurus Isis (Mammalia, Archaeoceti) from the Middle-to-late Eocene of Wadi Hitan, Egypt. *Journal of Vertebrate Paleontology* 25:63A.
- Gingerich, P. D., M. Arif, M. A. Bhatti, M. Anwar, and W. J. Sanders. 1997. Basilosaurus drazindai and Basiloterus hussaini, new Archaeoceti (Mammalia, Cetacea) from the middle Eocene Drazinda Formation, with a revised interpretation of ages of whale-bearing strata in the Kirthar Group of the Sulaiman Range, Punjab (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 30:55-81.
- Gingerich, P. D., M. Arif, M. A. Bhatti, and W. C. Clyde. 1998. Middle Eocene stratigraphy and marine mammals (Mammalia: Cetacea and Sirenia) of the Sulaiman Range, Pakistan. *Bulletin of Carnegie Museum of Natural History* 34:239-259.
- Gingerich, P. D., M. Arif, M. A. Bhatti, H. A. Raza, and S. M. Raza. 1995. Protosiren and Babiacetus (Mammalia, Sirenia and Cetacea) from the middle Eocene Drazinda Formation, Sulaiman Range, Punjab (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 29:331-357.
- Gingerich, P. D., M. Arif, and W. C. Clyde. 1995. New archaeocetes (Mammalia, Cetacea) from the middle Eocene Domanda Formation of the Sulaiman Range, Punjab (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 29:291-330.
- Gingerich, P. D., H. Cappetta, and M. Traverse. 1992. Marine mammals (Cetacea and Sirenia) from the middle Eocene of Kpogamé-Hahotoé in Togo. *Journal of Vertebrate Paleontology* 12:29A-30A.

- Gingerich, P. D., M. u. Haq, I. S. Zalmout, I. H. Khan, and M. S. Malakani. 2001. Origin of whales from early artiodactyls: Hands and feet of Eocene Protocetidae from Pakistan. *Science* 293:2239-2242.
- Gingerich, P. D., S. M. Raza, M. Arif, M. Anwar, and X. Zhou. 1993. Partial skeletons of *Indocetus ramani* (Mammalia, Cetacea) from the lower middle Eocene Domanda Shale in the Sulaiman range of Punjab (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 28:393-416.
- Gingerich, P. D., S. M. Raza, M. Arif, M. Anwar, and X. Zhou. 1994. New whale from the Eocene of Pakistan and the origin of cetacean swimming. *Nature* 368:844-847.
- Gingerich, P. D., and D. E. Russell. 1981. *Pakicetus inachus*, a new archaeocete (Mammalia, Cetacea) from the early-middle Eocene Kuldana Formation of Kohat (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 25:235-246.
- Gingerich, P. D., and D. E. Russell. 1994. Unusual mammalian limb bones (Cetacea?, Archaeoceti?) from the early-to-middle Eocene Subathu Formation of Kashmir (Pakistan). *Contributions from the Museum of Paleontology, The University of Michigan* 29:109-117.
- Gingerich, P. D., D. E. Russell, D. Sigogneau-Russell, J.-L. Hartenberger, S. M. I. Shah, M. Hassan, K. D. Rose, and R. H. Ardrey. 1979. Reconnaissance survey and vertebrate paleontology of some Paleocene and Eocene formations in Pakistan. *Contributions from the Museum of Paleontology, The University of Michigan* 25:105-116.
- Gingerich, P. D., and B. H. Smith. 1990. Forelimb and hand of *Basilosaurus isis* (Mammalia, Cetacea) from the middle Eocene of Egypt. *Journal of Vertebrate Paleontology* 10:24A.

- Gingerich, P. D., and M. D. Uhen. 1996. *Ancalecetus simonsi*, a new dorudontine archaeocete (Mammalia, Cetacea) from the early late Eocene of Wadi Hitan, Egypt. *Contributions from the Museum of Paleontology, The University of Michigan* 29:359-401.
- Gingerich, P. D., and M. D. Uhen. 1996. Likelihood estimation of the time of origin of whales (Cetacea). *The Paleontological Society Special Publication* 8:146.
- Gingerich, P. D., and M. D. Uhen. 1997. The origin and evolution of whales. *LSA Magazine* 20:4-10.
- Gingerich, P. D., M. Ul-Haq, I. H. Khan, and I. S. Zalmout. 2001. Eocene stratigraphy and archaeocete whales (Mammalia, Cetacea) of Drug Lahar in the eastern Sulaiman Range, Balochistan (Pakistan). *Contribution from the Museum of Paleontology, The University of Michigan* 30:269-319.
- Gingerich, P. D., I. S. Zalmout, M. Ul-Haq, and M. A. Bhatti. 2005. *Makracetus bidens*, a new protocetid archaeocete (Mammalia, Cetacea) from the early middle Eocene of Balochistan (Pakistan). *Contribution from the Museum of Paleontology, The University of Michigan* 31:197-210.
- Glaessner, M. F. 1955. Pelagic fossils (Aturia, penguins, whales) from the tertiary of South Australia. *Records of the South Australian Museum* 11:353-371.
- Glaessner, M. F. 1972. Redescription of the tooth of an Oligocene whale from North Canterbury, New Zealand. *Records of the Canterbury Museum* 9:183-187.
- Goodwin, M. B., D. P. Domning, and J. H. Lipps. 1998. The first record of an Eocene (Lutetian) marine mammal from Israel. *Journal of Vertebrate Paleontology* 18:813-815.
- Gould, S. J. 1994. Hooking leviathan by its past. *Natural History* 5/94:8-15.

Gritsenko, V. 2001. New species *Platiosphys einori* Archaeoceti from Oligocenic deposits of Kiev. *Visnyk Heolohiia Kyivskiyi Natsionalnyi Universytet Imeni Tarasa Shevchenka* 20:17-20.



Haekel, E. 1895. *Systematische Phylogenie der Wirbelthiere (Vertebrata)*. Verlag von Georg Reimer, Berlin, 660 pp.

Hall, J. L. 1976. *Paleoecology and age of the Upper Eocene Basilosaurus cetoides beds of Louisiana, Mississippi, and southwestern Alabama*. Doctoral dissertation, Northeast Louisiana University, Monroe, Louisiana.

Halstead, L. B. 1984. The first whale (*Anglocetus beatsoni*) is a turtle. *Tertiary Research* 6:1-4.

Halstead, L. B., and J. A. Middleton. 1972. Notes on fossil whales from the upper Eocene of Barton, Hampshire. *Proceedings of the Geologists' Association* 83:185-190.

Halstead, L. B., and J. A. Middleton. 1974. New material of the archaeocete whale, *Pappocetus lugardi* Andrews, from the middle Eocene of Nigeria. *Journal of Mining and Geology* 8:81-85.

Halstead, L. B., and J. A. Middleton. 1976. Fossil vertebrates of Nigeria. Part II. *The Nigerian Field* 41:129-133.

Hammerschmidt, C. E. 1848. Resultate geologischer, anatomischer and zoologischer Untersuchungen [über *Hydrarchos*, Koch]. *Haidinger's Berichte über Mittheilungen von Freunden der Naturwissenschaften in Wien* 3:322-327.

- Harlan, R. 1834. Notice of fossil bones found in the Tertiary formation of the state of Louisiana. *Transactions of the American Philosophical Society Philadelphia* 4:397-403.
- Harlan, R. 1835. Description of the remains of the "*Basilosaurus*," a large fossil marine animal, recently discovered in the horizontal limestone of Alabama. *Transactions of the Geological Society of Pennsylvania* 1:348-357.
- Harlan, R. 1839. A letter from Dr. Harlan, addressed to the President, on the discovery of the remains of *Basilosaurus* or *Zeuglodon*. *Transactions of the Royal Society of London* 6:67-68.
- Harlan, R. 1842. Discovery of the remains of the *Basilosaurus* or *Zeuglodon*. *Transactions of the Geological Society of London* 6:67-68.
- Harris, W. B., and R. A. Laws. 1997. Paleogene stratigraphy and sea-level history of the North Carolina Coastal Plain: Global coastal onlap and tectonics. *Sedimentary Geology* 108:91-120.
- Hay, O. P. 1902. *Bibliography and Catalogue of the Fossil Vertebrata of North America*. Government Printing Office, Washington D. C., 868 pp.
- Hazel, J. E., L. M. Bybell, R. A. Christopher, N. O. Fredericksen, F. E. May, D. M. McLean, R. Z. Poore, C. C. Smith, N. F. Sohl, P. C. Valentine, and R. J. Witmer. 1977. Biostratigraphy of the deep corehole (Clubhouse Crossroads corehole 1) near Charleston, South Carolina. *US Geological Survey Professional Paper* 1028:71-89.
- Hector, J. 1881. Notes on New Zealand Cetacea, recent and fossil. *Transactions and Proceedings of the New Zealand Institute* 13:434-437.
- Hooker, J. J., and A. N. Insole. 1980. The distribution of mammals in the English Palaeogene. *Tertiary Research* 3:31-45.

- Hulbert, R. C., Jr. 1992. Locomotion in the earliest whales: evidence from the Plant Vogtle protocetid (Late Middle Eocene, McBean Formation). *Georgia Journal of Science* 50:36.
- Hulbert, R. C., Jr. 1994. Phylogenetic analysis of Eocene whales ("Archaeoceti") with a diagnosis of a new North American protocetid genus. *Journal of Vertebrate Paleontology* 14:30A.
- Hulbert, R. C., Jr. 1996. Dental and basicranial anatomy of a late middle Eocene protocetid cetacean from the southeastern United States. *The Paleontological Society Publication* 8:186.
- Hulbert, R. C., Jr. 1998. Postcranial osteology of the North American Middle Eocene protocetid *Georgiacetus*; pp. 235-268 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.
- Hulbert, R. C., Jr., and R. M. Petkewich. 1991. Innominate of a middle Eocene (Lutetian) protocetid whale from Georgia. *Journal of Vertebrate Paleontology* 11:36A.
- Hulbert, R. C., Jr., R. M. Petkewich, G. A. Bishop, D. Bukry, and D. P. Aleshire. 1998. A new middle Eocene protocetid whale (Mammalia: Cetacea: Archaeoceti) and associated biota from Georgia. *Journal of Paleontology* 72:907-927.
- Huner, J., Jr. 1939. Geology of Caldwell and Winn Parishes. *State of Louisiana Department of Conservation Geological Bulletin* 15:1-356.
- Huxley, T. H. 1872. IV. Cetacea; pp. 333-351 in T. H. Huxley (ed.), *A Manual of the Anatomy of Vertebrated Animals*. D. Appleton and Company, New York.
- Ichishima, H., and R. E. Fordyce. 2007. *When the Whales Roamed on Land*. Fukui Kenritsu Kyoryo Hakubutsukan, Katsuyama, Japan, 87 pp.



Ingles, J. M., and F. C. Sawyer. 1979. A catalogue of the Richard Owen collection of palaeontological and zoological drawings in the British Museum (Natural History). *Bulletin of the British Museum (Natural History), Historical Series* 6:109-197.

Irwin, D. M., T. D. Kocher, and A. C. Wilson. 1991. Evolution of the cytochrome b gene of mammals. *Journal of Molecular Evolution* 32:128-144.



Jeletzky, J. A. 1975. Age and depositional environment of the lower part of Escalante Formation, western Vancouver Island, British Columbia. Geological Survey of Canada Paper 75:9-16.

Jerison, H. J. 1973. *Evolution of the Brain and Intelligence*. Academic Press, New York, 428 pp.

Jones, D. E. 1963. A review of the Eocene archaeocetes of Alabama. *Journal of the Alabama Academy of Science* 24:26-27.

Judd, J. W. 1881. On the occurrence of the remains of a cetacean in the lower Oligocene strata of the Hampshire Basin. *Quarterly Journal of the Geological Society of London* 37:708.

K



- Kasuya, T. 1973. Systematic consideration of recent toothed whales based on the morphology of tympano-periotic bone. *Scientific Reports of the Whales Research Institute* 25:1-103.
- Kellogg, R. 1936. *A Review of the Archaeoceti*. Carnegie Institution of Washington Special Publication 482:1-366.
- Kellogg, R. 1942. Tertiary, Quaternary, and recent marine mammals of South America and the West Indies. *Proceedings of the Eighth American Scientific Congress* 3:445-473.
- Keyes, I. W. 1973. Early Oligocene squalodont cetacean from Oamaru, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 7:381-390.
- Kinman, K. E. 1994. *The Kinman System: Toward a Stable Cladistic-Eclectic Classification of Organisms*. K. E. Kinman, Hays, Kansas, 88 pp.
- Kleinenberg, S. E. 1958. On the origin of Cetacea. *International Congress of Zoology Proceedings* 15:445-447.
- Koch, A. C. 1845. *Description of the Hydrarchos harlani: (Koch)*. B. Owen, New York, 24 pp.
- Koch, A. C. 1845. *Description of the Hydrargos sillimanii: (Koch) a gigantic fossil reptile, or sea serpent*. A. C. Koch, New York, 16 pp.
- Koch, A. C. 1846. *Kurze Beschreibung des Hydrarchos harlani (Koch) eines reisenmässigen Meerungeheuers und dessen Entdeckung in Alabama in Nordamerika im Frühjahr 1845*. Druck der Königl. Hofbuchdruckerei von C. C. Meinhold and Söhnen, Dresden, 20 pp.

- Koch, A. C. 1846. *Kurze Beschreibung des Hydrarchos harlani (Koch) eines reisenmässigen Meerungeheuers und dessen Entdeckung in Alabama in Nordamerika im Frühjahr 1845*. Druck der Königl. Hofbuchdruckerei von C. C. Meinhold and Söhnen, Dresden, 20 pp.
- Koch, A. C. 1849. *Bemerlungen über die aus mehreren Urten bestehende Familie der Hydrarchen*. Druck von Eduard Klein, 1-32 pp.
- Koch, A. C. 1851. Das Skelet des *Zeuglodon macrosphondylus*. *Aus den Naturwissenschaftlichen Abhandlungen* 4:1-12.
- Koch, A. C. 1972. *Journey Through a Part of the United States of North America in the years 1844 to 1846*. Southern Illinois University Press, Carbondale, Illinois, 177 pp.
- Köhler, R., and R. E. Fordyce. 1997. An archaeocete whale (Cetacea: Archaeoceti) from the Eocene Waihao Greensand, New Zealand. *Journal of Vertebrate Paleontology* 17:574-583.
- Kozawa, Y., K. Suzuki, and H. Mishima. 1996. Development of tooth structure in aquatic mammals. *Bulletin d l'Institute océanographique, Monaco Spécial* 14:353-357.
- Kretzoi, M., and K. Mária. 2000. Index generum et subgenerum Mammalium. *Fossilium Catalogus I: Anamalia* 137:434-726.
- Kühn, O. 1935. Archäoceten aus dem norddeutschen Alttertiär. *Zentralblatt für Mineralogie, Geologie und Paläontologie* 1935:219-227.
- Kumar, K., and A. Sahni. 1985. Eocene mammals from the upper Subathu Group, Kashmir Himalaya, India. *Journal of Vertebrate Paleontology* 5:153-168.

Kumar, K., and A. Sahni. 1986. *Remingtonocetus harudiensis*, new combination, a Middle Eocene archaeocete (Mammalia, Cetacea) from western Kutch, India. *Journal of Vertebrate Paleontology* 6:326-349.



Lancaster, W. C. 1982. *A Morphological and Paleoecological Analysis of the Archaeoceti of Montgomery Landing, Louisiana*. Doctoral dissertation, Auburn University, Auburn, Alabama.

Lancaster, W. C. 1986. The taphonomy of an archaeocete skeleton and its associated fauna; pp. 119-131 in J. A. Schiebout and W. van den Bold (eds.), *Montgomery Landing Site, Marine Eocene (Jackson) of Central Louisiana, Proceedings of a Symposium, 36th Annual GCAGS*. Gulf Coast Association of Geological Societies, Baton Rouge, Louisiana.

Lancaster, W. C. 1990. The middle ear of the Archaeoceti. *Journal of Vertebrate Paleontology* 10:117-127.

Landois. 1844. Derselbe machte ferner Mittheilung von dem Funde von Zeuglodonreste bei Münster. *Verhandlungen des naturhistorischen Vereines der preussischen Rheinlande und Westfalens. Correspondenzblatt* 41:49-50.

Lavocat, R. 1955. Cetaces fossiles; pp. 439-450 in P.-P. Grassé (ed.), *Traité de Zoologie*. Masson et Cie, Paris.

- Leidy, J., M.D. 1852. The Ancient Fauna of Nebraska or a description of remains of extinct Mammalia and Chelonia from the Mauvaises Terres of Nebraska. *Proceedings of the Academy of Natural Sciences of Philadelphia* 327:7-10.
- Leidy, J. 1852. [Description of *Pontogeneus priscus*]. *Proceedings of the Academy of Natural Sciences of Philadelphia* 6:52.
- Leidy, J. 1873. Contributions to the Extinct Vertebrate Fauna of the Western Territories. *Report of the United States Geological Survey of the Territories*:1-358.
- Lipps, J. H., and E. Mitchell. 1976. Trophic model for the adaptive radiations and extinctions of pelagic marine mammals. *Paleobiology* 2:147-155.
- Lucas, F. A. 1895. Notes on the osteology of *Zeuglodon cetoides*. *American Naturalist* 29:745-746.
- Lucas, F. A. 1895. Skeletons of *Zeuglodon*. *Science* 2:42-43.
- Lucas, F. A. 1900. The pelvic girdle of zeuglodon *Basilosaurus cetoides* (Owen), with notes on other portions of the skeleton. *Proceedings of the United States National Museum* 23:327-331.
- Lucas, F. A. 1901. The phylogeny of the toothed whales. *Science* 14:618-619.
- Lucas, F. A. 1908. Is *Alabamornis* a bird? *Science* 27:311.
- Lucas, F. A. 1910. Untitled. *Nature* 85:278.
- Luo, Z. 1998. Homology and transformation of cetacean ectotympanic structures; pp. 269-302 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.
- Luo, Z., and P. D. Gingerich. 1999. Terrestrial Mesonychia to aquatic Cetacea: Transformation of the basicranium and evolution of hearing in whales. *University of Michigan Papers on Paleontology* 31:1-98.

Luper, E. E. 1972. Smith County geology and mineral resources. *Mississippi Geological, Economic and Topographical Survey Bulletin* 116:1-189.



Maas, M. C., and J. G. M. Thewissen. 1995. Enamel microstructure of *Pakicetus* (Mammalia: Archaeoceti). *Journal of Paleontology* 69:1154-1163.

Madar, S. I. 2007. The postcranial skeleton of early Eocene pakicetid cetaceans. *Journal of Paleontology* 81:176-200.

Madar, S. I., J. G. M. Thewissen, and S. T. Hussain. 2002. Additional holotype remains of *Ambuocetus natans* (Cetacea, Ambulocetidae), and their implications for locomotion in early whales. *Journal of Vertebrate Paleontology* 22:405-422.

Maher, J. C., and P. H. Jones. 1949. Ground-water exploration in the Natchitoches area Louisiana. *United States Geological Survey Water Supply Paper* 968-D:159-211.

Mahoney, J. A., and W. D. L. Ride. 1975. Index to the genera of fossil Mammalia described from Australia and New Guinea between 1838 and 1968. *Western Australia Museum Special Publications* 6:1-250.

Marensi, S. A., M. A. Reguero, S. N. Santillana, and S. F. Vizcaino. 1994. Review: Eocene land mammals from Seymour Islands, Antarctica: palaeobiogeographical implications. *Antarctic Science* 6:3-15.

Marino, L., M. D. Uhen, and D. McShea. 2003. A New Analysis of Trends in Cetacean Brain Evolution. *Biennial Conference on the Biology of Marine Mammals* 15:102.

- Marino, L., M. D. Uhen, N. Pyenson, S. Rotenberg, B. Shamasi, and B. Frolich. 2002. Brain morphometry during cetacean (dolphin, porpoise, and whale) evolution revealed by computed tomography. *Society for Neuroscience Abstracts* 877.
- Marocco, R., and C. de Muizon. 1988. Los vertebrados del Neogeno de La Costa Sur del Perú: Ambient sedimentario y condiciones de fosilización. *Bulletin de l'Institut Francais d'Etudes Andines* 17:105-117.
- Marples, B. J. 1949. Two endocranial casts of cetaceans from the Oligocene of New Zealand. *American Journal of Science* 247:462-471.
- Mathews, M. M. 1977. The Clarke County sea serpent. *Clarke County Historical Society Quarterly* 1:12-26.
- Matthew, W. D. 1909. The Carnivora and Insectivora of the Bridger Basin, Middle Eocene. *Memoirs of the American Museum of Natural History* 6:291-567.
- May, J. H. 1974. Wayne County geology and mineral resources. *Mississippi Geological, Economic and Topographical Survey Bulletin* 117:1-293.
- Mayr, H. 1989. Karl Alfren von Zittel. *Mitteilungen der Bayerischen Staatssammlung für Paläontologie und Historische Geologie* 29:7-51.
- Mcauliffe, K. 1994. When whales had feet. *Sea Frontiers* January/February:20-33.
- Mchedlidze, G. A. 1964. *Iskopaemye Kitoobraznye Kavakaza*. Akademiya Nauk Gruzinskoi, Tbilisi, Georgia, 144 pp.
- Mchedlidze, G. A. 1970. *Nekotorye obschie cherty istorii kitoobraznykh*. Chast I; pp. 112. Metsniyereba, Tbilisi. Georgia.
- Mchedlidze, G. A. 1974. On phylogenetic relations of Cetacea. *Institute of Paleobiology of the Academy of Sciences of Georgian SSR, Tbilisi, USSR* 1:297-316.

- Mchedlidze, G. A. 1976. *Osnovnye Cherty Paleobiologicheskoi Istorii Kitoobraznykh*. Metsnierba Publishers, Tbilisi, Georgia, 136 pp.
- Mchedlidze, G. A. 1977. A review of the historical development of the Cetacea. *Journal of the Palaeontological Society of India* 20:81-88.
- Mchedlidze, G. A. 1979. The significance of fossil Cetacea for the interregional correlation of the Cenozoic sedimentary formations. *Annales Géologiques des Pays Helléniques Tome hors série* 1979:781-787.
- Mchedlidze, G. A. 1984. *General Features of Paleobiological Evolution of Cetacea*. Amerind Publishing, New Delhi, 139 pp.
- Mchedlidze, G. A., and G. Pilleri. 1988. *Khartidelphis diceros*, a new genus and species from the Oligocene of Georgia (Caucasus, USSR). *Investigations on Cetacea* 21:9-15.
- McKenna, M. C. 1975. Toward a phylogenetic classification of the Mammalia; pp. 21-46 in W. P. Luckett and F. S. Szalay (eds.), *Phylogeny of the Primates*. Plenum Press, New York.
- McLeod, S. A., and L. G. Barnes. 1990. Archaeocete cetaceans from the Atlantic Coastal Plain of the United States, including a new protocetid. *Journal of Vertebrate Paleontology* 9:35A.
- McLeod, S. A., and L. G. Barnes. 1996. The systematic position of *Pappocetus lugardi* and a new taxon from North America (Archaeoceti: Protocetidae). *The Paleontological Society Special Publication* 8:270.
- Milinkovitch, M. C. 1995. Molecular phylogeny of cetaceans prompts revision of morphological transformations. *Trends in Ecology and Evolution* 10:328-334.

- Milinkovitch, M. C., and J. G. M. Thewissen. 1997. Even-toed fingerprints on whale ancestry. *Nature* 388:622-624.
- Miller, W. T. Thar she blows! — Whales in Florida's geologic history. *Florida Paleontological Society Newsletter* 10:16-20.
- Mitchell, E. D. 1989. A new cetacean from the late Eocene La Meseta Formation, Seymour Island, Antarctic Peninsula. *Canadian Journal of Fisheries and Aquatic Science* 46:2219-2235.
- Moore, W. H. 1965. Hinds County geology and mineral resources. *Mississippi Geological, Economic and Topographical Survey Bulletin* 105:1-244.
- Morgan, G. S. 1978. The fossil whales of Florida. *The Plaster Jacket* 29:1-20.
- Moustafa, Y. S. 1954. Additional information on the skull of *Prozeuglodon isis* and the morphological history of the Archaeoceti. *Proceedings of the Egyptian Academy of Sciences* 9:80-89.
- Moustafa, Y. S. 1974. Critical observations on the occurrence of Fayum fossil vertebrates. *Annals of the Geological Survey of Egypt* 4:41-78.
- de Muizon, C. 2001. Walking with whales. *Nature* 413:259-260.
- Müller, J. 1849. *Über die fossilen Reste der Zeuglodonten von Nordamerika*. Verlag von G. Reimer, Berlin, 1-38 pp.
- Müller, J. 1851. Neue Beiträge zur Kenntniss der Zeuglodonten. Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preufs. *Akademie der Wissenschaften zu Berlin* April 28:236-246.

N



- Naish, D. 2004. Fossils explained 46: Ancient toothed whales. *Geology Today* 20:72-77.
- Naylor, G. J. P., and D. C. Adams. 2001. Are the fossil data really at odds with the molecular data? Morphological evidence for Cetartiodactyla phylogeny reexamined. *Systematic Biology* 50:444-453.
- Nummela, S., and J. G. M. Thewissen. 2002. The evolution of sensory biology in Eocene cetaceans. *Geological Society of New Zealand Miscellaneous Publication Secondary Adaptation to Life in Water*:35-36.
- Nummela, S., J. G. M. Thewissen, S. Bajpai, S. T. Hussain, and K. Kumar. 2004. Eocene evolution of whale hearing. *Nature* 430:776-778.

O



- O'Leary, M. A. 1998. Phylogenetic and morphometric reassessment of the dental evidence for a mesonychian and cetacean clade; pp. 133-162 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.
- O'Leary, M. A., and J. Gatesy. 2007. Impact of increased character sampling on the phylogeny of Cetartiodactyla (Mammalia): combined analysis including fossils. *Cladistics* 23:1-46.
- O'Leary, M. A., and M. D. Uhen. 1998. The most primitive cetacean and the role of feeding in the terrestrial aquatic transition. *Journal of Vertebrate Paleontology* 18:68A.

- O'Leary, M. A., and M. D. Uhen. 1999. The time of origin of whales and the role of behavioral changes in the terrestrial-aquatic transition. *Paleobiology* 25:534-556.
- Oelschläger, H. A. 1978. Eforschungsgeschichte, morphologie und evolution der wale. *Natur und Museum* 108:317-333.
- Oelschläger, H. A. 1986. Comparative morphology and evolution of the otic region in toothed whales (Cetacea, Mammalia). *The American Journal of Anatomy* 177:353-368.
- Oelschläger, H. A. 1987. *Pakicetus inachus* and the origin of whales and dolphins (Mammalia: Cetacea). *Gegenbaurs Morphologisches Jahrbuch*. 133(5):673-685.
- Orr, W. N., and J. Faulhaber. 1975. A Middle Tertiary Cetacean from Oregon. *Northwest Science* 49:174-181.
- Osborn, H. F. 1931. *Cope: Master Naturalist*. Princeton University Press, Princeton, New Jersey.
- Owen, R. 1839. [Proceedings of the] Geological Society. *The Athenaeum* 585:35-36.
- Owen, R. 1842. Observations on the Basilosaurus of Dr. Harlan (*Zeuglodon cetoides*, Owen). *Transactions of the Geological Society of London* 6:69-79.
- Owen, R. 1842. Observations on the teeth of the *Zeuglodon*, *Basilosaurus* of Dr. Harlan. *Proceedings of the Geological Society of London* 3:23-28.



- Palmer, K. V. W. 1939. *Basilosaurus* in Arkansas. *Bulletin of the American Association of Petroleum Geologists* 23:1228-1229.

- Palmer, K. V. W. 1942. Tales of ancient whales. *Nature Magazine* 35:213-221.
- Paquier, V. 1894. Etude sur quelques Cétacés du Miocène. *Mémoires de la Société Géologique de France* 12:5-20.
- Petkewich, R. M., and W. C. Lancaster. 1984. Middle Eocene Archaeocete from the McBean Formation of Burke County, Georgia. *Georgia Journal of Science* 42:21.
- Phillips, W. 1948. Recent discoveries in the Egyptian Faiyum and Sinai. *Science* 107:666-670.
- Pickering, S. M., Jr. 1970. Stratigraphy, paleontology, and economic geology of portions of Peryy and Cochran Quadrangles, Georgia. *The Geological Survey of Georgia, Department of Mines, Mining and Geology* 81:1-67.
- Pilleri, G. 1982. Palate structure and functional significance of the pterygoschisis in archaeocetes and squalodonts. *Investigations on Cetacea* 14:71-79.
- Pilleri, G. 1985. Record of *Dorudon osiris* (Archaeoceti) from Wadi-el-Nutrun, lower Nile Valley. *Investigations on Cetacea* 17:35-37.
- Pilleri, G. 1989. An archaeocete vertebra from the upper Eocene of Taradell, Catalonia, Spain; pp. 7-10 in G. Pilleri (ed.), *Contributions to the paleontology of some Tethyan Cetacea and Sirenia (Mammalia) II*. Brain Anatomy Institute, Berne, Switzerland.
- Pilleri, G. 1991. Betrachtungen über das Gehirn der Archeoceti (Mammalia, Cetacea) aus dem Fayum Ägyptens. *Investigations on Cetacea* 23:193-211.
- Pilleri, G., and F. Cigala-Fulgosi. 1989. First Archaeoceti record from the Eocene of Italy (Varano, Northern Apennines); pp. 87-103 in G. Pilleri (ed.), *Contributions to the Paleontology of Some Tethyan Cetacea and Sirenia (Mammalia) II*. Brain Anatomy Institute, Berne, Switzerland.

- Pilleri, G., M. Gahr, and C. Kraus. 1986. Evolution of the echolocation system in cetaceans a contribution to paleoacoustics. *Investigations on Cetacea* 18:13-104.
- Pilleri, G., M. Gahr, and C. Kraus. 1989. The organ of hearing in Cetacea II. Paleobiological evolution. *Investigations on Cetacea* 22:5-185.
- Pledge, N. S., and K. Rothausen. 1977. *Metasqualodon harwoodi* (Sanger, 1881) - A redescription. *Records of the South Australian Museum* 17:285-297.
- Pompeckj, J. F. 1922. Das Ohrskelett von *Zeuglodon*. *Senckenbergiana* 20:41-100.
- Powell, R. J., and G. R. Baum. 1982. Eocene biostratigraphy of South Carolina and its relationship to Gulf Coastal Plain zonations and global changes of coastal onlap. *Geological Society of America Bulletin* 93:1099-1108.
- Pritchard, G. B. 1939. On the discovery of a fossil whale in the older tertiaries of Torquay, Victoria. *The Victorian Naturalist* 55:151-159.
- Prokopi, E. 1994. The Eocene Vertebrates of Florida. *Florida Paleontological Society Newsletter* 11:11-12.



R



- Randazzo, A. F., M. Kusters, D. S. Jones, and R. W. Portell. 1990. Paleoeology of shallow-marine carbonate environments, middle Eocene of Peninsular Florida. *Sedimentary Geology* 66:1-11.
- Ray, C. E. 1957. A list, bibliography, and index of the fossil vertebrates of Florida. *Florida Geological Survey, Special Publication* 3:7-173.
- Ray, C. E. 1977. Fossil marine mammals of Oregon. *Systematic Zoology* 25:420-436.
- Reel, T. W. 1972. *The Excavation and Preparation of Two Fossilized Whales*. Doctoral dissertation, University of Southern Mississippi, Hattiesburg, Mississippi.
- Reyment, R. A. 1964. Review of Nigerian Cretaceous Cenozoic Stratigraphy. *Journal of the Nigerian Mining, Geological and Metallurgical Society* 1:61-80.
- Reyment, R. A. 1965. *Aspects of the Geology of Nigeria*. Ibadan University Press, Ibadan, Nigeria, 1-145 pp.
- Riabinin, A. N. 1938. *Microzeuglodon* aff. *caucasicum* Lyd. from the Upper Maikop Beds of Kabristan. *Problems of Paleontology* 4:137-185.
- Rice, D. W. 1998. Marine Mammals of the World. *Society for Marine Mammalogy Special Publication* 4:1-231.
- Richard, M. 1946. Les gisements de mammifères Tertiaires. *Mémoires de la Société Géologique de France* (n.s.) 52:1-380.
- Romer, A. S. 1945. *Vertebrate Paleontology*. University of Chicago Press, Chicago, 687 pp.
- Romer, A. S. 1966. *Vertebrate Paleontology*. University of Chicago Press, Chicago, 468 pp.

- Rose, K. D. 2001. The ancestry of whales. *Science* 293:2216-2217.
- Roth, F. 1978. *Mesocetus argillarius* sp. n. (Cetacea, Mysticeti) from Upper Miocene of Denmark, with remarks on the lower jaw and the echolocation system in whale phylogeny. *Zoologica Scripta* 7:63-79.
- Rothausen, K. 1967. Die Klimabindung der Squalodontoidea (Odontoceti, Mamm.) und anderer mariner Vertebrata. *Sonderveroeffentlichungen des Geologischen Instituts der Universitat Koeln* 13:157-166.
- Rothausen, K. 1968. De Squalodontidae (Odontoceti, Mamm.) im Oligozän und Miozän Italiens. *Memorie degli Instituti di Geologia e Mineralogia dell'Università di Padova* 24:1-18.
- Rothausen, K. 1986. Marine Tetrapoden im tertiären Nordsee-Becken. *Beitrage zur regionalen Geologie der Erde* 18:510-557.
- Rothausen, K. 1989. Paläocetologie 1976-1979. *Zentralblatt fur Geologie und Palaontologie Teil 6*:263-276.
- Russell, L. S. 1968. A new cetacean from the Oligocene Sooke Formation of Vancouver Island, British Columbia. *Canadian Journal of Earth Sciences* 5:929-933.



- Sahni, A. 1981. Enamel ultrastructure of fossil Mammalia: Eocene archaeocete from Kutch. *Journal of the Palaeontological Society of India* 25:33-37.

- Sahni, A. 1984. The evolution of mammalian enamels: evidence from Multituberculata (Allotheria, Extinct); primitive whales (archaeocete Cetacea) and early rodents; pp. 457-461 in R. W. Fearnhead and S. Suga (eds.), *Tooth Enamel IV*. Elsevier Science Publishers, Amsterdam.
- Sahni, A., and V. P. Mishra. 1972. A new species of *Protocetus* (Cetacea) from the middle Eocene of Kutch, western India. *Palaeontology* 15:490-495.
- Sahni, A., and V. P. Mishra. 1975. Lower Tertiary vertebrates from western India. *Monograph of the Palaeontological Society of India* 3:1-48.
- Said, R. 1962. *The Geology of Egypt*. Elsevier Publishing Company, Amsterdam, 377 pp.
- Sanders, A. E. 1974. A paleontological survey of the Cooper Marl and Santee Limestone near Harleyville, South Carolina preliminary report. *Geologic Notes* 18:4-12.
- Sanders, A. E. 1980. Excavation of Oligocene marine fossil beds near Charleston, South Carolina. *National Geographic Society Research Reports* 12:601-621.
- Sanders, A. E., and M. P. Katuna. 2000. Proposal for revision of the stratigraphic nomenclature of the Santee Limestone (Eocene) of South Carolina, U.S.A. *Geological Society of America, Southeastern Section* 32:71.
- Sanders, A. E., R. E. Weems, and E. M. Lemon, Jr. 1982. Chandler Bridge Formation--A new Oligocene stratigraphic unit in the lower coastal plain of South Carolina. *United States Geological Survey Bulletin* 1529-H:105-124.
- Satsangi, P. P., and P. K. Mukhopadhyay. 1975. New marine Eocene vertebrates from Kutch. *Journal of the Geological Society of India* 16:84-86.

- Savage, R. J. G. 1967. Order Cetacea; pp. 774 in W. B. Harland, C. H. Holland, M. R. House, N. F. Hughes, A. B. Reynolds, M. J. S. Rudwick, G. E. Satterthwaite, L. B. H. Tarlo, and E. C. Willey (eds.), *The Fossil Record*. Geological Society of London, London.
- Savage, R. J. G. 1969. Early Tertiary mammal locality in southern Libya. *Proceedings of the Geological Society of London* 1657:167-171.
- Savage, R. J. G. 1971. Review of the fossil mammals of Libya; pp. 216-225 in C. Gray (ed.), *Symposium on the Geology of Libya*. University of Libya.
- Schweinfurth, G. A. 1886. Reise in das Depressionsgebiet im Umkreise des Fajum im Januar 1886. *Zeitschrift der Gesellschaft für Erdkunde zu Berlin* 21:96-149.
- Scudder, S. H. 1882. Universal Index to Genera in Zoology. *Bulletin of the United States National Museum* 19:1-340.
- Seeley, H. G. 1876. Notice of the occurrence of remains of a British fossil Zeuglodon (*Z. wanklyni*, Seeley) in the Barton Clay of the Hampshire coast. *Quarterly Journal of the Geological Society of London* 32:428-432.
- Seeley, H. G. 1881. Note on the caudal vertebra of a cetacean discovered by Prof. Judd in the Brockenhurst beds, indicative of a new type allied to *Balaenoptera* (*Balaenoptera juddi*). *Quarterly Journal of the Geological Society of London* 37:709-712.
- Seeley, H. G. 1881. Societies and academies, London, Geological Society. *Nature* 24:278-279.
- Sellards, E. H. 1915. The Pebble Phosphates of Florida. *Florida State Geological Review* 7th annual report:30-84.
- Sellards, E. H. 1916. Fossil vertebrates from Florida: A new Miocene fauna; new Pliocene species; the Pleistocene fauna. *Florida State Geological Survey* 8:79-119.

- Shimamura, M., H. Yasue, K. Ohshima, H. Abe, H. Kato, T. Kishiro, M. Goto, I. Munechika, and N. Okada. 1997. Molecular evidence from retroposons that whales forma clade within even-toed ungulates. *Nature* 388:666-670.
- Simons, E. L. 1968. Early Cenozoic mammalian faunas Fayum Province, Egypt. *Peabody Museum of Natural History Bulletin* 28:1-21.
- Simons, E. L., and J. H. Ostrom. 1967. Yale Peabody Museum. *Society of Vertebrate Paleontology News Bulletin* 80:8-10.
- Simpson, G. G. 1938. A Review of the Archaeoceti, book review. *Journal of Mammalogy* 19:113-114.
- Simpson, G. G. 1945. The principles of classification and a classification of mammals. *Bulletin of the American Museum of Natural History* 85:1-350.
- Singleton, F. A. 1945. A catalogue of type and figured specimens of fossils in the Melbourne University Geology Department. *Proceedings of the Royal Society of Victoria* 56:229-284.
- Slansky, M. 1958. Vue d'ensemble sur le bassin sédimentair côtier du Dahomey-Togo. *Bulletin de la Societe Geologique de France* 5:27-38.
- Slijper, E. J. 1936. Die Cetaceen. *Capta Zoologica* 7:1-590.
- Slijper, E. J. 1962. *Whales*. Cornell University Press, Ithica, New York, 511 pp.
- Spamer, E. E., E. Daeschler, and L. G. Vostreys-Shapiro. 1995. A study of fossil vertebrate types in the Academy of Natural Sciences of Philadelphia: Taxonomic, Systematic, and Historical Perspectives. *Special Publication of the Academy of Natural Sciences of Philadelphia* 16:1-434.

- Starnes, J. E., and S. Peyton. 2003. Preliminary osteology of a *Basilosaurus cetoides* from the upper Yazoo Clay in Scott County, Mississippi. *Journal of the Mississippi Academy of Sciences* 48:43.
- Stenzel, H. B. 1938. The geology of Leon County, Texas. *The University of Texas Publication* 3818:1-295.
- Stokstad, E. 2001. Whales by land and by sea. *Science Now* 919:1.
- Stromer, E. 1903. Zeuglodon-reste aus dem Oberen Mitteleocän des Fajum. *Beiträge zur Paläontologie und Geologie Österreich-Ungarns und des Orients* 15:65-100.
- Stromer, E. 1908. Die Archaeoceti des Ägyptischen Eozäns. *Beiträge zur Paläontologie und Geologie Österreich-Ungarns und des Orients* 21:1-70.
- Stromer, E. 1908. Die Urwale (Archaeoceti). *Anatomischer Anzeiger* 33:81-88.
- Stromer, E. 1921. Untersuchung der Hüftgelenke von Sirenia und Archaeoceti. *Bayerische Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse, Munich*:41-59.
- Stromer, E. v. R. 1902. Bericht über eine von den Privatdozenten Dr. Max Blanckenhorn und Dr. Ernst Stromer von Reichenbach ausgeführte Reise nach Aegypten. *Sitzungsberichten der mathematische-phys. Akademie der Wissenschaften* 32:341-352.
- Sullivan, J. M. 1948. Some new fossils from the Mississippi Eocene. *Journal of the Mississippi Academy of Science* 3:153-162.
- Swift, C. C., and L. G. Barnes. 1996. Stomach contents of *Basilosaurus cetoides*: Implications for the evolution of cetacean feeding behavior, and evidence for vertebrate fauna of epicontinental Eocene seas. *The Paleontological Society Special Publication* 8:380.

Szalay, F. S. 1969. The Hapalodectinae and a phylogeny of the Mesonychidae (Mammalia, Condylarthra). *American Museum Novitates* 2361:1-26.



Tarlo, L. B. H. 1963. A primitive whale from the London Clay of the Isle of Sheppey.

Proceedings of the Geologists' Association 74:319-323.

Thewissen, J. G. M. 1993. Eocene marine mammals from the Himalayan foothills. *Research and Exploration* 9:125-127.

Thewissen, J. G. M. 1994. Phylogenetic aspects of cetacean origins: A morphological perspective. *Mammalian Evolution* 2:157-184.

Thewissen, J. G. M. 1998. Cetacean origins: Evolutionary turmoil during the invasion of the oceans; pp. 451-464 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.

Thewissen, J. G. M. 1999: The Eocene evolution of Cetacea. *Secondary Adaptation to Life in Water*, København, 1999.

Thewissen, J. G. M., and S. Bajpai. 2001. Dental morphology of Remingtonocetidae (Cetacea, Mammalia). *Journal of Paleontology* 75:463-465.

Thewissen, J. G. M., L. N. Cooper, M. T. Clementz, S. Bajpai, and B. N. Tiwari. 2007. Whales originated from aquatic artiodactyls in the Eocene epoch of India. *Nature* 450:1190-1195.

- Thewissen, J. G. M., and S. T. Hussain. 1993. Origin of underwater hearing in whales. *Nature* 361:444-445.
- Thewissen, J. G. M., and S. T. Hussain. 1998. Systematic review of the Pakicetidae, Early and Middle Eocene Cetacea (Mammalia) from Pakistan and India. *Bulletin of Carnegie Museum of Natural History* 34:220-238.
- Thewissen, J. G. M., and S. T. Hussain. 2000. Attockicetus praecursor, a new remingtonocetid cetacean from marine Eocene sediments of Pakistan. *Journal of Mammalian Evolution* 7:133-146.
- Thewissen, J. G. M., S. T. Hussain, and M. Arif. 1994. Fossil evidence for the origin of aquatic locomotion in archaeocete whales. *Science* 263:210-212.
- Thewissen, J. G. M., S. I. Madar, and S. T. Hussain. 1996. *Ambulocetus natans*, an Eocene cetacean (Mammalia) from Pakistan. *Courier Forschungsinstitut Senckenberg* 191:1-86.
- Thewissen, J. G. M., S. I. Madar, and S. T. Hussain. 1998. Whale ankles and evolutionary relationships. *Nature* 395:452.
- Thewissen, J. G. M., E. M. Williams, L. J. Roe, and S. T. Hussain. 2001. Skeletons of terrestrial cetaceans and the relationship of whales to artiodactyls. *Nature* 413:277-281.
- Thompson, D. a. W. 1890. On the systematic position of *Zeuglodon*. *Studies from the Museum of Zoology* 9:1-8.
- Thurmond, J. T., and D. E. Jones. 1982. *Fossil Vertebrates of Alabama*. University of Alabama Press, Tuscaloosa, Alabama, 1-244 pp.
- Trivedy, A. N., and P. P. Satsangi. 1984. A new archaeocete (whale) from the Eocene of India. *International Geological Congress* 27:322-323.

Trofimov, B. A., and V. I. Gromova. 1968. Order Cetacea; pp. 225-241 in V. I. Gromova (ed.), *Fundamentals of Paleontology: Mammals*. Israel Program for Scientific Translations, Jerusalem.

Trouessart, E. L. 1898. *Catalogus Mammalium Tam Viventium Quam Fossilium*; pp. 665-1469. R. Friedländer & Sohn., Berolini.

True, F. W. 1908. The fossil cetacean, *Dorudon serratus* GIBBES. *Bulletin of the Museum of Comparative Zoology* 52:5-78.

Tuomey, M. 1847. Notice of the discovery of a cranium of the *Zeuglodon* (*Basilosaurus*). *The Academy of Natural Sciences of Philadelphia* 1:16-17.



Uhen, M. D. 1994. Forelimb of late middle Eocene *Prozeuglodon atrox* (Mammalia, Cetacea) from Fayum, Egypt. *Journal of Vertebrate Paleontology* 14:51A.

Uhen, M. D. 1996. Composition and characteristics of the subfamily Dorudontinae (Archaeoceti, Cetacea). *The Paleontological Society Special Publication* 8:403.

Uhen, M. D. 1996. *Dorudon atrox* (Mammalia, Cetacea): *Form, Function, and Phylogenetic Relationships of an Archaeocete from the Late Middle Eocene of Egypt*. Doctoral dissertation, The University of Michigan, Ann Arbor, Michigan, 608 pp.

Uhen, M. D. 1996. New protocetid archaeocete (Mammalia, Cetacea) from the late middle Eocene Cook Mountain Formation of Louisiana. *Journal of Vertebrate Paleontology* 16:70A.

- Uhen, M. D. 1997. *Dorudon atrox*: A first for the Exhibit Museum of Natural History. *LSA Magazine* 20:9.
- Uhen, M. D. 1997. What is *Pontogeneus brachyspondylus*? *Journal of Vertebrate Paleontology* 17:82A.
- Uhen, M. D. 1998. Middle to Late Eocene Basilosaurines and Dorudontines; pp. 29-61 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.
- Uhen, M. D. 1998. New protocetid (Mammalia, Cetacea) from the late middle Eocene Cook Mountain Formation of Louisiana. *Journal of Vertebrate Paleontology* 18:664-668.
- Uhen, M. D. 1998. North American Protocetidae (Cetacea, Archaeoceti). *Journal of Vertebrate Paleontology* 18:83A.
- Uhen, M. D. 1999. New species of protocetid archaeocete whale, *Eocetus wardii* (Mammalia, Cetacea), from the middle Eocene of North Carolina. *Journal of Paleontology* 73:512-528.
- Uhen, M. D. 2000. Replacement of deciduous first premolars and dental eruption in archaeocete whales. *Journal of Mammalogy* 81:123-133.
- Uhen, M. D. 2001. New material of *Eocetus wardii* (Mammalia, Cetacea), from the middle Eocene of North Carolina. *Southeastern Geology* 40:135-148.
- Uhen, M. D. 2002. Basilosaurids; pp. 78-81 in W. F. Perrin, B. Würsig, and J. G. M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego.
- Uhen, M. D. 2002. Dental morphology (cetacean), Evolution of; pp. 316-319 in W. F. Perrin, B. Würsig, and J. G. M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego.

- Uhen, M. D. 2003. Biogeographic distribution of dorudontine archaeocetes in North America. *Journal of Vertebrate Paleontology* 23:105A-106A.
- Uhen, M. D. 2004. Form, Function, and Anatomy of *Dorudon atrox* (Mammalia, Cetacea): An Archaeocete from the Middle to Late Eocene of Egypt. *The University of Michigan Museum of Paleontology Papers on Paleontology* 34:1-222.
- Uhen, M. D. 2005. A new genus and species of archaeocete whale from Mississippi. *Southeastern Geology* 43:157-172.
- Uhen, M. D. 2006. Biogeographic and temporal origins of Neoceti. *Journal of Vertebrate Paleontology* 26:134A.
- Uhen, M. D. 2007. The terrestrial to aquatic transition in Cetacea; pp. 392-408 in J. S. Anderson and H.-D. Sues (eds.), *Major Transitions in Vertebrate Evolution*. Indiana University Press, Bloomington, Indiana.
- Uhen, M. D., and P. D. Gingerich. 2001. New genus of dorudontine archaeocete (Cetacea) from the middle-to-late Eocene of South Carolina. *Marine Mammal Science* 17:1-34.
- Uhen, M. D., and L. Marino. 2001. Computed tomography of endocranial morphology in fossil Cetacea. *Journal of Vertebrate Paleontology* 21:109A.
- Uhen, M. D., and L. Marino. 2001. Computed tomography of endocranial morphology in recent and fossil Cetacea. *Biennial Conference on the Biology of Marine Mammals* 14:220.
- Uhen, M. D., and G. Tichy. 2000. A new basilosaurid archaeocete from Austria. *Journal of Vertebrate Paleontology* 20:74A-75A.



- Van Beneden, P. J. 1886. Note sur des ossements de cetacea, recueillis dans des couches phosphatée entre l'Elbe et le Weser. *Bulletins de L'Académie Royal des Sciences, des Lettres et des Beaux-Arts 3rd Series*, 6:27-33.
- Van Beneden, P. J., and P. Gervais. 1880. *Ostéographie des Cétacés Vivants et Fossiles*. Arthus Bertrand, Paris, 634 pp.
- Van Valen, L. M. 1966. Deltatheridia, a new order of mammals. *Bulletin of the American Museum of Natural History* 132:1-126.
- Van Valen, L. M. 1968. Monophyly or diphyly in the origin of whales. *Evolution* 22:37-41.
- Van Valen, L. M. 1969. The multiple origins of the placental carnivores. *Evolution* 23:118-130.
- Van Valen, L. M. 1978. The beginning of the Age of Mammals. *Evolutionary Theory* 4:45-80.
- Vogeltanz, R. 1970. Sedimentologie und Paläogeographie eines eozänen Sublitorals im Helvetikum von Salzburg (Österreich). *Verhandlungen der Geologischen Bundesanstalt* 1970:373-451.



- Wallace, W. D. 1963. Alabama boneyard sheds new light on whales. *Science Digest* 53:77-80.
- Weigelt, J. 1940. The first Paleocene mammalian fauna in Germany. *Research and Progress* 6:117-122.

- West, R. M. 1980. Middle Eocene large mammal assemblage with tethyan affinities, Ganda Kas region, Pakistan. *Journal of Paleontology* 54:508-533.
- Westgate, J. W. 2001. Paleocology and biostratigraphy of marginal marine Gulf Coast Eocene vertebrate localities; pp. 263-297 in G. F. Gunnell (ed.), *Eocene Biodiversity: Unusual Occurrences and Rarely Sampled Habitats*. Kluwer Academic/Plenum Publishers, New York.
- Westgate, J. W., and S. Abby. 1996. Additions of the late Eocene (Jacksonian) Cetacean and Chodrichthyan Faunas of Arkansas. *Geological Society of America Abstracts with Program* 28:68.
- Westgate, J. W., and R. J. Emry. 1985. Land mammals of the Crow Creek Local Fauna, Late Eocene, Jackson Group, St. Francis County, Arkansas. *Journal of Paleontology* 59:242-248.
- Westgate, J. W., C. N. Gillettee, and E. Rolater. 1994. Paleocology of an Eocene coastal community from Georgia. *Journal of Vertebrate Paleontology* 14:52A.
- Whitmore, F. C., Jr., and A. E. Sanders. 1977. Review of the Oligocene Cetacea. *Systematic Zoology* 25:304-320.
- Williams, E. M. 1998. Synopsis of the earliest cetaceans: Pakicetidae, Ambulocetidae, Remingtonocetidae, and Protocetidae; pp. 1-28 in J. G. M. Thewissen (ed.), *The Emergence of Whales*. Plenum Press, New York.
- Wilson, L. E. 1973. A delphinid (Mammalia, Cetacea) from the Miocene of Palos Verdes Hills, California. *University of California Publications in Geological Sciences* 103:1-33.
- Wiman, C. 1905. Über die Alttertiären vertebraten der Seymourinsel. *Wissenschaftliche Ergebnisse der Schwedischen südpolar-expedition 1901-1903* 3:1-35.

Womochel, D. R., and J. L. Dobie. 1981. Fossil whales in Alabama. *The Journal of the Alabama Academy of Science* 52:122.

Wong, K. 2002. The whales changing world. *Scientific American*:71-79.

Wyman, J. 1845. [Communication on skeleton of *Hydrarchos sillimani*]. *Proceedings of the Boston Society of Natural History* 2:65-68.



Yablokov, A. V. 1965. Convergence or parallelism in the evolution of cetaceans. *International Geology Review* 7:1461-1468.

Yablokov, A. V., B. M. Bel'kovich, and V. I. Borisov. 1974. *Whales and Dolphins*. National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia, 528 pp.



- Zalmout, I., P. D. Gingerich, H. Mustafa, A. Smadi, and A. Khammash. 2003. Cetacea and Sirenia from the Eocene Wadi Esh-Shallala Formation of Jordan. *Journal of Vertebrate Paleontology* 23:113A.
- Zalmout, I. S., H. A. Mustafa, and P. D. Gingerich. 2000. Priabonian *Basilosaurus* isis (Cetacea) from the Wadi Esh-Shallala Formation: first marine mammal from the eocene of Jordan. *Journal of Vertebrate Paleontology* 20:201-204.
- Zhou, X. 1995. *Evolution of Paleocene-Eocene Mesonychidae (Mammalia, Mesonychia)*. Doctoral dissertation, The University of Michigan, Ann Arbor, Michigan, 402 pp.
- Zullo, V. A. 1984. Cirriped assemblage zones of the Eocene Claibornian and Jacksonian stages, southeastern Atlantic and Gulf Coastal plains. *Palaeogeography, Palaeoclimatology, Palaeoecology* 47:167-193.
- Zullo, V. A., and W. B. Harris. 1987. Sequence stratigraphy, biostratigraphy, and correlation of Eocene through lower Miocene strata in North Carolina. *Cushman Foundation for Foraminiferal Research, Special Publication* 24:197-214.